



Valencia™ E-sense

CONTRACT | MARINE INTERIORS | AUTOMOTIVE




SPRADLING®
For the long run

Colour Palette

72 inspiring colours

PERMABLOK³
ADVANCED PROTECTION




E 107-9245
PEACH



E 107-9607
PURE WHITE



E 107-8020
PEARLESSENCE



E 107-8032
WEISS



E 107-1048
SISAL



E 107-1049
LEINEN



E 107-1020
IVORY



E 107-1001
CHAMPAGNE



E 107-1050
BEIGE



E 107-2117
CASHMERE



E 107-0002
COGNAC



E 107-0033
BUCHE




E 107-0001
PRALINÉ



E 107-4041
METEOR



E 107-9001
SUMATRA



E 107-4001
MUSHROOM



E 107-0034
TAUPE



E 107-4044
WARM GREY



E 107-2522
FUNGI



E 107-4040
AUSTER



E 107-8415
MISTY



E 107-6438
EUCALYPTUS



E 107-5451
PINE



E 107-8438
CACTUS



E 107-4002
LAUREL



E 107-5002
MOSS



E 107-2115
CHESTNUT



E 107-0035
TERRACOTTA



E 107-6003
NECTARINE

Colour Palette

72 inspiring colours

PERMABLOK³
ADVANCED PROTECTION

										
E 107-6019 ORANGE	E 107-6013 MELONE	E 107-2116 CAMEL	E 107-2111 SQUASH	E 107-6012 SAFRAN	E 107-2020 SONNE	E 107-2110 AVOCADO	E 107-5041 APFEL	E 107-5001 OLIVE	E 107-5069 GRÜN	E 107-2119 TEAL
										
E 107-0337 SCUBA	E 107-5057 TÜRKIS	E 107-5056 JADE	E 107-3001 LAVENDEL	E 107-3067 DELFT	E 107-3069 BALTIC	E 107-3068 MARINE	E 107-2108 NIGHT	E 107-0370 AZURE	E 107-5065 PETROL	E 107-4042 TITAN
										
E 107-2107 SKYLIGHT	E 107-2106 CORAL	E 107-2008 EVEREST	E 107-5032 CLOUD	E 107-4020 SILVER	E 107-4045 PERLE	E 107-4052 LICHTGRAU	E 107-4043 PLATIN	E 107-4003 GRAPHITE	E 107-9035 SCHWARZ	E 107-7001 AMETHYST
										
E 107-2002 BERRY	E 107-2021 PINK	E 107-2114 ROSÉ	E 107-2113 LOTUS	E 107-2112 TOMATO	E 107-2075 ROT	E 107-2074 KIRSCH	E 107-2062 PORT	E 107-2001 MERLOT	E 107-0020 MOCCA	

Technical data sheet

Composition:	Topcoat: Vinyl
Backing:	100% Recycled polyester yarns 
Weight:	650 gr/m ²
Width:	min. 137cm
Roll size:	+/- 30m*
Abrasion:	> 300.000 cycles (MARTINDALE)
Cold Crack:	-29°C
UV-Resistance:	ISO 105 B02: ≥ 7/8 (Blue Wool Scale)

* Typical roll length. Length may vary depending on the availability of standard roll size

Flame Retardancy**:	EU EN 1021 Part 1 & 2	EU EN 71-2:2006+ A 1: 2007
	EU IMO 2010 FTP Part 8	Safety of Toys -part 2.
	DE DIN 4102 B2	US FMVSS 302
	US CAL TB 117-2013, Section I	
	Some selected colours are also available to comply:	GB BS 5852 Part 2 CRIB 5
		DE DIN 4102 B1
		FR NF P 92-503 / MI

** This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behaviour of this or any other material under actual conditions.

FINISHES AND TREATMENTS		
	Except VALENCIA™ Pure White 107-9607 that has	

Virucidal Activity:	ISO 18184:2019¹: Coted Fabrics treated with PERMABLOK ³ ® are proven to reduce the presence of Coronavirus** by more than 90% within one hour of contact.
	ISO 21702:2019²: All the Coted Fabrics treated with PERMABLOK ³ ® are capable of reducing the Coronavirus** activity by 99.9% within 24 hours of exposure on the surface.

Bacteriostatic Properties: ISO 22196:2011. Value of Antibacterial*** activity R>2.

*** Testing was conducted with material exposed to *Staphylococcus aureus*, *Staphylococcus aureus* (MRSA), *Escherichia coli* and *Klebsiella pneumoniae*.

WARRANTY 5 Years. Terms and Conditions apply.

PERMABLOK³® and SPRADLING®, are registered trademarks of Spradling Holdings, Inc.®.



SUSTAINABLE PRODUCT PROFILE

Heavy Metals Free



*In accordance with REACH, RoHs and ECHA regulations

- AZO = Azo dyes
- CFC = Chlorofluorocarbons
- HCFC = Hydrochlorofluorocarbons
- BPA = Bisphenol A
- PBTs = Persistent Bio accumulative and Toxic Chemicals
- PCP = Pentachlorinated Biphenyl
- PCB = Pentachlorinated Biphenyl
- PCT = Polychlorinated Terphenyls

Attributes



Skin Safe
Sensitisation and Irritation
(ISO 10993-10 and ISO 10993-23)

Sustainable manufacturing certifications



Compliances



Acknowledgments



SPRADLING[®]
For the long run

WWW.SPRADLING.EU